

Office of the Director, Animal Husbandry, U.P.BADSHAH BAGH, LCUKNOW.
 Approved rate list of Veterinary Equipments/ Machineries/Instruments & Glassware etc. for the financial year 2012-13

Sl. No.	Name of Item	Specification	Unit Pack	Approved rates	Name of the Firms
1	2	3	4	5	6
1	A.I. Gun	Mini French	Each	38.00	M/s T.S.Enterprises, Lucknow
2	A.I. Gun Universal	AI gun universal pattern suitable for mini/medium/German straws. The gun consists of stainless steel barrel and plunger. Barrel should be attached with adapter such that it should have auto fix/auto release mechanism for handling AI sheaths. Plunger should be made of desired flexibility so that after slight bending it should not loose shape. The Plunger should have locking mechanism to avoid free fall from barrel.	Each	39.00	M/s T.S Enterprises, Lucknow
3	A.I. Kit	Consisting of A.I. Gun Universal-2, A.I. Sheath Univ. 100(individually Packed), Hand Gloves Latex with rubber arm sleeves number-9 one pair, Disposable A.I. Gloves-100(Made of LDPE material, length 34" and should be made of less than 20 micron film. Lab test report is must for film used), Scissors SS 15 cm straight-2, Thawing Flask with dial thermometer-1 Goblet German, French, Mini French-1 each of 50 straws cap., Dipstick 1 Meter Folding, Straw cutter with extra blade, Long Forceps SS 45 cm -1, Straw Tweezer outer body 1 Ltr. cap-1, E.I. Tray 250x300mm-1, in a Kit bag (Haver Sac) Multi pocket size 18"x12"x6"	Each Kit	812.00	M/s B.M.Traders,Aligarh
4	A.I. Sheath	Universal split type Individually packed and sterilized)	Pack of 50 each	24.82	M/s T.S Enterprises,Lucknow
5	Adjustable (Detachable) Blade	Mini French Individually packed and sterilized) For 30 cm Orthopedic Saw	Pack of 50 each	24.00	M/s T.S Enterprises,Lucknow
			Each	2.50	M/s India Fabricators, Lucknow

04

6	Air Cleaner	Air Dust Cleaner should have continuous rolling motor fitted with tubular impellers and double dust collection unit each comprising of 35 aluminum dust collection plates and fitted with two tubular impellers and pre and first filter media operative 220 volts, single phase portable fitted on duster feed for easy movement and safety device capacity 1200 cfm, room size 12x10'x10' fitted with motor 1/10 HP (As per latest IS, if any). (including installation, demonstration & fittings)	Each	30500.00	M/s Ceccon International, Lucknow
7	Ambu Bag	Self-inflating bag, an air inlet valve, one face mask attached to ruben and a non-rebreathing valve.	Each	360.00	M/s Indira Fabricators,Lucknow
8	Apron Cotton	Free size	Each	19.00	M/s T.S.Enterprises,Lucknow
9	Apron Plastic	Free size	Each	10.00	M/s United Surgical,Lucknow
10	Autoclavable Unbreakable Reusable Plastic Syringe Made of P.P. Material, individually packed	5ml Facility for Luermount Needle, should bear autoclaving at 121 °C for 30 Minutes, without changing its shape	Each	1.19	M/s United Surgical,Lucknow
11	Autoclavable Unbreakable Reusable Plastic Syringe Made of P.P. Material, individually packed	10 ml, Facility for Luermount Needle, should bear autoclaving at 121 °C for 30 Minutes, without changing its shape	Each	2.25	M/s T.S.Enterprises,Lucknow
10	Autoclave Vertical Electric (Portable)	Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, jointless rubber gasket. Should be fitted with pressure guage, steam release cock, safety valve and cord and plug suitable for power supply 220-230 volts. Solid Iron stand to support autoclave.	Each	4230.00	M/s T.S.Enterprises,Lucknow
11	Autoclave Vertical Non Electric (Portable)	Non-Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, thick bottom for withstanding direct flame heat, jointless rubber gasket. Should be fitted with pressure guage, steam release cock, safety valve. Solid Iron stand to support autoclave.	Each	3800.00	M/s United Surgical,Lucknow
11	Automatic Vaccinator	Bottle and vial attachment, pressure dose adjustment from 0.5ml to 5ml, Luer Lock Needle Nozzle with spare service kit.	Each	398.00	M/s United Surgical,Lucknow

✓

12	B.P. Handle S.S.	No. 3 Standard		Each	5.50	M/s United Surgical, Lucknow
	B.P. Handle S.S.	No. 4 Standard		Each	6.00	1.M/s United Surgical, Lucknow
13	Bacteriological Incubator	Double Walled, inside chamber made of S.S., thermostatically controlled, temperature 37 degree C \pm 3 degree C, inner glass door, built in L shape thermometer, 2 pilot lamps, on/off switch and perforated trays. 450mm x450mm x 450mm		Each	4444.00	M/s A.K.Surgical, Allahabad
14	Breeder's Thermometer	12 Ltr. Cap. $^{\circ}$ C		Each	17.00	M/s Ocean International, Lucknow
15	Bucket SS	12 Ltr. Cap.		Each	221.00	M/s A.K.Surgical, Allahabad
16	California Mastitis Test Kit	Complete Kit made of Polypropylene with 4 mixing chambers and full grip handle including reagent, reagent dispenser and test colour standard chart		Each set	121.00	M/s B.M.Traders Aligarh
17	Castrator for large animals 47.5 cm	<p>The specification of indigenous castrator has been detailed as under-</p> <p>"The shape of the equipment should be that of a bloodless castrator commonly used in veterinary practice. Length should be between 460 to 480mm. The jaw width should be between 73mm to 77mm for the upper (crushing) jaw. The lower (cord stop) jaw should have cord stop on both sides. The gap on either side between the crushing and cord stop jaw should range between 1.5 to 2mm. The cordstop should have a height of 5mm to 8mm from the inner edges. The jaws should be able to open to a maximum of 40mm to 45 mm. The body should be made of solid metal which is non-injurious to the skin on contact and may be of steel, polished bright and passivated. The joints, hingers, screws, nuts and bolts should be made of the same material as that of the body. Handle should be non-slippery but smooth, capable of providing a good grip and made up of an unbreakable material (Plastic, bakelite etc.) The metal should be smooth without pits, cracks, scales, seams or other surface defects.</p>		Each	699.00	M/s United Surgical, Lucknow

AN

18	Cattle Crush	<p>The closing and opening of the jaws and arms should be easy, smooth and jerk free. The jaw edges should be perfectly aligned and meet completely and evenly in closed position. The crushing surface of the jaws should be convex and not flat. The jaws should remain in position till released by the operator and should not develop gap at the crushing edge on release of pressure. There should not be any undue play or stiffness at the joints."</p> <p>Tubular, made of G.I. Pipe with outside diameter 60mm, height of front & back pillar 1980 mm, length & breadth of Cattle Crush be 1830 x 877 mm respectively. All Four Pillars should be provided holes at 75mm distance from bottom and be provided with round bars of 12mm diameter & 300 mm long, side pillars be joined by 2 tubular beams having 60 mm outside diameter, the inscribed distance between the two beams being 477 mm. The two sides of beams should be supported by Two G.I. pipes of 48 mm diameter. Lower Side beam at 1223 mm height and upper side beam at 1700 mm height. Circular 1 inch painted marking on all four pillars at the height of 450mm from below to indicate ground fill / fixation. Cattle Crush should also be provided with an adjustable gate to open sides. Gate should consist one sliding G.I. pipe on two horizontal pipe of 60mm outer diameter to secure the neck of animal. Two extra G.I. pipe 1.2 mtr. long of 60mm outer diameter should be provided for the backsides. Two metallic loops on each side vertical rear pillar to control Cattle from backside be provided. All the G.I. pipes used should be of ISI Mark 'A' class with visible ISI Mark on every meter of pipe. All the joints should be electrically welded. (Note-Weight of the cattle crush should comply with the norms of the ISI Mark, 'A' Class GI pipe standard of specified diameters with variable maximum/minimum permissible limits).</p>	Each Set	5600.00	M/s AMVW Enterprises, Lucknow
19	Cheatel Forceps	Standard	Each	59.50	M/s Indira Fabricators, Lucknow
20	Chuck with Key (Orthopedic) S.S.	20 cm	Each Set	148.00	M/s A.K.Surgical, Allalabad

DN

21	Cold Box UNICEF specification	WHO/ UNICEF specification	Vaccine Storage capacity 20 Ltr, weight fully loaded 43.4 kg, weight empty 17.5 kg, external surface material plastic internal lining material plastic insulation material polyurethane, insulation thickness 110 mm, external dimension 77x53x54 cm, internal dimension 54x30x31 cm, vaccine storage dimension 48x24x17 cm, lid type and fixing hinged supplied with 52 ice packs	Each	6245.00	M/s Apex International,NOIDA
22	Crane Mouth Wash Bottle		Plastic, 500 ml	Each	15.30	M/s Rohit Enterprises,New Delhi
23	Cryo Polycarbonate Box, with transparent cover, to accommodate 81 cryo vials of 4.5 ml	Box, Polycarbonate with transparent cover, to accommodate 81 cryo vials of 4.5 ml	Accommodating 4.5ml cryo vials	Each	99.00	M/s United Surgical,Lucknow
24	Cryo Marker Pen	Box, Polycarbonate with transparent cover, to accommodate 81 cryo vials of 1.8ml	Accommodating 1.8 ml cryo vials	Each	81.00	M/s United Surgical,Lucknow
25	Cryo Vials	Water Proof		Pack of 5	69.00	M/s B.M.Traders,Aligarh
26	Cryo Vials	4.5 ml		Each	1.41	M/s United Surgical,Lucknow
	Cystoscope	1.8ml		Each	0.71	M/s United Surgical,Lucknow
27	As per IVRI Specification			Each	342.00	M/s Rohit Enterprises,New Delhi
28	Doctor Coat Tericot	Free Size		Each	100.00	M/s T.S.Enterprises,Lucknow
29	Dog Nail Cutter	Standard		Each	30.00	M/s Rohit Enterprises,New Delhi
30	Douche Can E.I.	1 Lit. Cap. with 1.5 mtr. Rubber Tube		1 set	46.00	M/s Sakshi Enterprises, Lucknow
31	Dressing Drum S.S. Round 20 gauge	Height 30cmx30cm dia		Each	270.00	1.M/s T.S.Enterprises,Lucknow 2.M/s United Surgical,Lucknow
	Dressing Forceps S.S.	15 cm		Each	6.90	M/s Rohit Enterprises, New Delhi
		25 cm			14.70	M/s Rohit Enterprises, New Delhi

DNW

32	Dystokia Set	Hand, Kuhn's Cruth, Wooden Bar, Cannmarer Torsion Fork, Snares/Ropes, Obstretical Iron Chain, Small Eye Hook-2, Lindhorst's Blun(Concealed Eyehook (Long Handle Eye Hook), Krey Hock, Obermayer's Analhook, Schriever's Snare Introducer, Keller's Semisharp Spatula, Ballshaped Handles-2, T shaped Handles-2, D shaped Handles-2, Wire cutter-Plier(Plast), Foeteoectomy Wire, Handles-2, Wire cutter-Plier(Plast), Foeteoectomy Wire, Benesch Thygesen's Foeteoectomy, Brush Robert's Knife-2, Stalfor's Knife-2, Colepaterngaur-del knife, Hallowskoks Ring Knife.	Each Set	798.00	M/s United Surgical,Lucknow
33	E.I. Jar with lid	2 kg. capacity	Each	53.00	M/s Indira Fabricators, Lucknow
34	E.I. Jug	4 Ltr. Cap.	Each	112.00	M/s T.S.Enterprises,Lucknow
35	E.I. Tray	350mmx400mm	Each	111.00	M/s T.S.Enterprises,Lucknow
36	Electric Dehorner	30 cm length	Each	53.25	M/s Indira Fabricators, Lucknow
37	Electric Fumigator	Made up of thick SS conforming to ISI standards, capacity 5 Ltrs., approximate weight 11 kg., size- 350mm(dia) x400mm (Height)	Each	4500.00	1.M/s T.S.Enterprises,Lucknow 2.M/s United Surgical, Lucknow
38	Electric Sterilizer S.S.	30cmx15cmx20cm 1500 Watt.		396.00	M/s Sakshi Enterprises, Lucknow
39	Empty Straws	French Mini Straws having capacity 0.25ml with factory plug at one end and other end open, straw should be made of non-toxic PVC material and should be sterilized. The straws should be able to use with imported sealing and filling machine. The straw should not crack during freezing and thawing. Colour of straw should not fade during freezing. straws should be in different colours.	Pack of 1000	868.00	M/s Balkrishna Plaskraft, Delhi
40	Face Mask	Cotton Standard	Each	2.10	M/s Rohit Enterprises, New Delhi
41	Firing Iron (Conical,Line,Pin)	Set	Complete Set of three	55.00	M/s T.S.Enterprises,Lucknow
42	Foot Operated waste bin	Made of SS. Size 30cm dia and 45cm height. 20 Ltr. capacity and completely fit size plastic waste bucket inside. With SS Lid and side lifting handle gripper.	Each	651.00	M/s United Surgical, Lucknow

43	Forceps S.S.	15 cm	Each	7.02	M/s Rohit Enterprises, New Delhi
		17.5 cm	Each	10.50	M/s Rohit Enterprises, New Delhi
		20 cm	Each	10.80	M/s Rohit Enterprises, New Delhi
44	Formalin Chamber with 100 formalin tablets	Non Corrosive, Standard, 20"x 8"x 8"	Each	495.00	M/s United Surgical, Lucknow
45	Full Rubber apron	Standard	Each	39.00	M/s United Surgical, Lucknow
46	Gerlach Buhner Vulva suture instrument	SS 18 cm	Each	47.10	M/s Rohit Enterprises, New Delhi
47	Goblets Plastic French	100 Straws	Each	3.00	M/s Ocean International, Lucknow
48	Gray's mouth gags for dogs	SS 11cm	Each	55.00	M/s T.S.Enterprises,Lucknow
49	Haemocytometer (Neubauer)	Complete set, Double ruling 0.1 mm depth.	Each	275.00	M/s United Surgical, Lucknow
50	Haemostat Straight S.S.	12.5cm	Each	30.00	M/s T.S.Enterprises,Lucknow
		15 cm	Each	36.00	M/s Sakshi Enterprises, Lucknow
51	Haemostate Curved S.S.	15 cm.	Each	36.00	M/s Ocean International, Lucknow
52	Haver Sac Bag	18"ht. x18"Length x6" Width	Each	48.00	M/s A.K.Surgicals,Allahabad
53	Hot Air Oven	Universal Memmert Type, Double Walled, Inner Chamber made of S.S. Material, Temperature range 50-300 degree C. Digital Temperature Indicator-cum-Controller. On/ Off Switch and perforated Trays. Fitted with Air Circulating. 600mm x600mm x600 mm.	Each	4111.00	M/s United Surgical, Lucknow
54	Hypodermic Needle	15 x3/4" 18x3/4" 18x1.5"	Dozen	17.20 13.45 16.20	M/s T.S.Enterprises,Lucknow M/s T.S.Enterprises,Lucknow M/s T.S.Enterprises,Lucknow

DN

55	Ice Liner	External dimensions- Height 850 to 900mm, Wide 700 to 750mm, Length 1500 to 1600mm. Vaccine Storage Capacity - 300 Liters. Holdover time -(In case of power cuts) for more than 24 hours. Compressor compartment - Hermetically sealed high quality compressor 230 V 50/60 Hz. Relatively noiseless fan to cool down the compressor. All steel tubes protected with special compound against rust formation 1 thermostat pre-setted from the factory for 2°C to 8°C. Control panel -Situated at the front of the unit. Light indicators for different functions, 1 digital thermometer to indicate the internal temperature, latest cooling system. Refrigerant -CFC & HCFC Free. Insulation -with thick polyurethane foam. Foaming Agent - Cyclopentane. Ice Lining : with plastic tubes to act as a ice bank during power cut. Outer Body -Lockable Lid including 2 keys. Resistant enamel finish. Silicon magnetic Gasket for tight sealing with adjustable spring hinges.	Each	24300.00	M/s Rohit Enterprises, New Delhi
56	Instrument Cabinet with 3 Glass Shelf	150 cm x 90 cm x 60 cm, 20 Gauge	Each	3500.00	1.M/s Ocean International, Lucknow 2.M/s Rohit Enterprises, New Delhi
57	Instrument Tray S.S. with Lid.	250mm x 300mm 350 mm x 300 mm	Each	155.00	M/s United Surgical, Lucknow
58	Insulated Sample Carrier	Wide mouth vacuum flask made of S.S. inside and out side with carrying Strap. Capacity 500ml	Each	175.00	M/s United Surgical,Lucknow
59	Intra Medullary Bone Pins	Assorted size	Each	120.00	M/s T.S.Enterprises,Lucknow
60	Kidney Tray S.S	15 cm length	Each	30.00	M/s B.M.Traders,Aligarh
61	Laryngoscope with 4 blades (For small animals laryngoscopy/ standard)	Full stainless body with blade and hood attached blade, 100mm length, 130mm length and 155 mm length of fiber-lite attached, cool high power light, fibre-lite lamp key, fibre lite lamp.	Each	17.00	M/s T.S.Enterprises,Lucknow
62	Leather Gloves Seamless	Free Size	Each Pair	693.00	M/s Rohit Enterprises, New Delhi
				27.00	M/s United Surgical,Lucknow

✓

63	Liquid Nitrogen Container 50-55 Ltrs-ISI	ISI approximate capacity 50-55 Ltrs. Static evaporation loss rate 0.40-0.45 Ltrs/day	Each	17247.00	M/s Inox India Ltd. Vadodara
64	LN ₂ Pouring Spout	fitted with insulated jet and Spl. Grade rubber stopper for neck locking	Each	90.00	M/s A.K. Surgicals,Allahabad
65	Long Forceps S.S.	45 cm	Each	65.00	M/s Indira Fabricators, Lucknow
66	Mayo's S.S Scissors	15 cm.	Each	27.00	M/s Rohit Enterprises,New Delhi
67	Metal Catheter for bitch	SS, Standard	Each	18.00	M/s Rohit Enterprises,New Delhi
68	Mouth Gag for Cattle	Standard	Each	120.00	M/s Rohit Enterprises,New Delhi
69	Non Electric Sterilizer	510mmx200mmx150mm. SS	Each	520.00	M/s B.M.Traders,Aligarh
70	Obstetrical Gloves	Shoulder Length Made up of high quality plastic stretchable, disposable	Each	1.18	M/s T.S.Enterprises,Lucknow
71	Otoscope and Ophthalmoscope set	Otoscope and Ophthalmoscope set of good quality and for veterinary use. It should be batteries operated and easy to handle, otoscope head with 4x magnification, 3 specula of size 80mmx6mm, 58mmx5mm, 80mmx4mm with one spare bulb, one ophthalmoscope head.	Each	1098.00	M/s United Surgical,Lucknow
72	pH Paper	Full Range	pack of (5 strips) x 20	21.00	M/s United Surgical,Lucknow
73	Post Mortem Kit For Poultry	Scissors Mayos SS, 20cm-2, Scissors Mayos SS, 15cm-2, long Forceps SS 20cm-2, Magnifying Glass, 6cm Dia-2, Bone Cutter SS, 20cm-1, B.P. Handle SS, No. 3 &4 Standard-2, B.P. Blade SS each-24.	Each	245.00	M/s United Surgical,Lucknow
74	Postmortem Tray	18"x10" Metallic	Each	56.00	M/s B.M.Traders,Aligarh
75	PPE kit for Direct handler	Dangri: 1 Disposable free size. Full sleeves, made up of non woven fabric (spun bonded, poly propylene material not less then 90 GSM) cuff with elastics zipper in front hood attached covering sides of face and neck. Hand gloves: one pair Disposable, ISI mark, size 10 no. Shoe cover: One Pair disposable, made up of polyester woven fabric with protective rubber coating preferably tetoron with thick padded foot base and can be used under field conditions. Gamma Irradiation & Irradiation certificate: 1 with Hepa filter 3M-N95 standard Disposable Face Mask: 1 with protective glasses-Disposable with clear glasses, zero power eye fitting and elastic band holder.	Each	303.00	M/s T.S.Enterprises, Lucknow



76	Rubber Arm Sleeves With Latex Gloves	No. 9		Each Pair	39.00	M/s United Surgical,Lucknow
77	Rubber Gloves	Full arm sleeves		Each	42.00	M/s Rohit Enterprises,New Delhi
78	Sample Container	100 ml (Radiation Sterile) Certification required		Each	2.25	M/s United Surgical, Lucknow
79	Scissors Curved	15cm S.S.		Each	22.00	M/s B.M.Traders,Aligarh
80	Scissors Straight S.S.	12.5 cm		Each	20.90	M/s Sakshi Enterprises , Lucknow
81	Sheep balling gun	15 cm		Each	24.00	M/s B.M.Traders,Aligarh
82	Slide Box	SS 31.5 cm		Each	102.00	M/s Rohit Enterprises,New Delhi
83	Spatula PVC	20 cm		Each	14.10	M/s Rohit Enterprises,New Delhi
84	Stethoscope Flat Chest Piece	Dual Tube		Each	7.00	M/s United Surgical,Lucknow
85	Straw Tweezers made of special grade plastic material to avoid heat loss	For Handling Straws of French Medium/ Mini and German Pattern		Each	190.00	M/s United Surgical,Lucknow
86	Suture Thread	Nylon ,10 mt. Reel		Each	12.60	M/s Rohit Enterprises,New Delhi
87	Swab Holder S.S.	45 cms		Each reel	1.41	M/s Rohit Enterprises,New Delhi
88	Tail Docking Machine	55 cm		Each	13.00	M/s Ocean International, Lucknow
89	Taylor Percussion Hammer	18cm SS with hard plastic head		Each	80.00	M/s A.K.Surgicals, Allahabad
90	Teat Instrument Set	Set of Sharp point probe SS 14cm, McLean Lancet SS 17cm, Pappilotome SS 12/18cm, Hudson's teat Dilator- straight handle-1, T-handle-1, Hug tumor extractor SS 13cm, Milking tube SS 10 cm -in a box		Each set	303.00	M/s T.S.Enterprises,Lucknow
91	Thawing Flask with dial Thermometer	250 ml Cap.		Each	120.00	M/s Rohit Enterprises,New Delhi

✓N

92	Thermos S.S. Double Insulated	1 Ltr. Cap, 30cm length, 7.5cm mouth dia, with shoulder carrying strap	Each	162.00	M/s T.S.Enterprises,Lucknow
93	Tooth Cutter For Large Animals	SS	Each	321.00	M/s A.K.Surgical, Allahabad
94	Tooth rasp	Standard	Each	91.00	M/s United Surgical, Lucknow
95	Urinary Catheters	Nielsen Urinary Catheter for cow- Length-44 cm, dia-5mm-SS	Each	29.00	M/s United Surgical,Lucknow
96	Vaccutainer Adopter	Universal Pattern	Each	2.70	M/s Rohit Enterprises,New Delhi
97	Vaginal Speculum	Large, 35 cm S.S.	Each	257.00	M/s B.M.Traders, Aligarh
98	Wash Basin S.S.	On stand 90cm Ht., Tank 5 Ltr. Cap.	Each	510.00	M/s T.S.Enterprises,Lucknow
99	Wash Bottle Plastic	Standard	Each	18.00	M/s Rohit Enterprises,New Delhi
100	500 ml Swan neck Wire Saw	With Handles	Each	17.00	M/s Ocean International, Lucknow

1. उपरोक्त दो प्रयोग करने की क्रमागति कर नियमसंगत अतिक्रम देख है।
2. उपरोक्त दो की वैधता दिनांक- 31.03.2013 तक होगी।
3. आवश्यकतामुक्त यह काई जरूरी उपकरण है जिसे उपरब्ध कराया जावेगा।
4. उपरोक्त दो प्रयोग का उपयोग एक और काम के लिये नहीं होगा क्योंकि निम्न उपकरण का उपयोग पालन करना अनिवार्य है।
5. उपरोक्त की आवश्यकता कर्म भ्राता काई शर्त मात्र नहीं होगा क्योंकि निम्न प्रयोग में दिये गये शर्तों के अधीन ही दो स्वीकृत की गयी है।

२८०८.११.१२
(डॉ रमेश कुमार)
निदेशका

कार्यालय निदेशक, पर्याप्तान विभाग, उत्तर प्रदेश लखनऊ

पत्रक ।१। /क्रमांको/उपकरण/निविदा/रस सूची/2012-13

दिनांक- ११-१०-२०१२

प्रेसित:-

1. समस्त मुख्य पर्याप्तान विभागों/समिति आदि की अनुमोदित दर सुनी निम्नालिखित अधिकारियों को सूचनार्थी एवं आवश्यक कार्यवाही हेतु
2. समस्त उपनिदेशक, पर्याप्तान विभाग, मंडलांजप्रा।
3. समस्त गावनकालोजिस्ट, स्टर्टर्टी यूनिट, पर्याप्तान विभाग, लखनऊ।
4. परियोजना निदेशक, भेड़ प्रजनन प्रशोधन, नौगढ़, चन्दौली।
5. परियोजने/संयुक्त निदेशक, आविहनाकृत वीर्य उत्पादन केन्द्र, चावूपाड़, गोपियावाड/निवेदेट, बायबकी/चक्रगांगारिया-लखनऊ/मेहरांगी।

6. उप निदेशक, प्रक्षेत्र, महानगर, लखनऊ/समस्त क्षेत्र प्रबन्धकर्ताओं की परिधि परिवर्तन, वर्णन।
7. उप निदेशक, लघु पशु, पशुपतन विभाग, उप्र, लखनऊ।
8. सम्बन्धित फार्मों को विनके उत्तरकर्ताओं/मानमी की दरे अनुमोदित की गई है।
9. समस्त सम्बन्धित अनुभाग अधिकारी, मुख्यालय
10. संकुचन निदेशक, रोपा नियन्त्रण (मुख्यालय)
11. संकुचन निदेशक, कुक्कुट, मुख्यालय।
12. अप्र निदेशक, गोधन विकास, मुख्यालय
13. अप्र निदेशक, वीरपो संस्थान, पशुपतन विभाग, लखनऊ।
14. वित्त नियंत्रक मुख्यालय।

रामेश्वर
(इस रुद्र प्रताप)
निदेशक।

**NAME AND ADDRESS OF THE FIRMS WHOSE RATES ARE APPROVED FOR
EQUIPMENTS/INSTRUMENTS/MACHINERIES ETC. FOR THE FINANCIAL YEAR 2012-13**

SL.No.	Name and Address of the firms
1	M/s A.K. Surgicals, 90A/10/4E, Baghambari Gaddi, Allapur, Allahabad-6 Ph. No. 0532-2695426 Fax No. 0532-2500560
2	M/s A.M.V.V. Enterprises, 114/42, Takiya Ghamishah, 43, Aminabad, Lucknow. Ph. No. 0522-3053092
3	M/s Apex International, G-47, Sector-39, Noida-201301 Ph. No. 0120-2502754 Fax No. 0120-2500347
4	M/s B.M. Traders, Shyan Sadan, Bela Marg Chauraha, Vishnupuri, Aligarh-202001.Mob. 9412273499, 9917555698
5	M/s Indira Fabricators, SS-104, Moti Jheel Colony, Aishbagh Road, Lucknow. Ph. No. 0522-2268771
6	M/s Ocean International, 78 B, Singar Nagar, Lucknow-5, Ph. No. 0522-4022420, Fax No. 0522-4043668
7	M/s Rohit Enterprises, 18A/12, Doriwala, Karol Bagh, New Delhi. Ph. No. 011-23622400 Fax No. 011-43082224
8	M/s Sakshi Enterprises, Chamber No. 22, 2nd Floor, Homa Wazir Chamber, 34-Lalbagh, Lucknow-1. Ph. No.0522-4109202
9	M/s T.S. Enterprises, 388, Moti Nagar, Lucknow. Ph.No. 0522-3291011, Fax No. 0522-4001011
10	M/s United Surgical, F 1854, Rajajipuram, Lucknow. Mob. 9415023966 Fax No. 0522-4040035
11	M/s Inox India Ltd., 4th Floor,ABS Towers, Old Padra Road, Vadodara-390 007 Ph. 0265-3056100 Fax: 0265-2333398
12	M/s Cecon International, 1st Floor,Laxmi Bhawan(Near Indira Bridge)Nishatganj,Lucknow Ph.No.0522-2329891 Fax No. 0522-2329891
13	M/s Balkrishan Plaskrafts,F-4, DSIDC Industrial Complex, Rohtak Road,Nangloi,Delhi-110041 Ph. 011-25472673 Fax No. 011-25475191