

**Office of the Director, Animal Husbandry, U.P.,
BADSHAH BAGH, LUCKNOW.**

Approved Rate List of "Veterinary Equipments/ Machineryes/ Instruments & Glassware etc. for A.I., Surgical, Pathological, Laboratory & Hospital use" for the financial year 2014-15

Sl.No.	Name of item	Specification	Unit Pack	Rate (Rs.)	Name of the firm whose rates are approved
1	A.I. Gun Universal	AI gun universal pattern suitable for French mini/medium/German straws. The gun consists of stainless steel barrel and plunger. Barrel should be attached with adopter such that it should have auto fix/auto release mechanism for handling AI sheaths. Plunger should be made of desired flexibility so that after slight bending it should not loose shape. The Plunger should have locking mechanism to avoid free fall from barrel.	Each	48.00	M/s B.M. Traders, Aligarh.
2	A.I. Kit	Consisting of A.I. Gun Universal-2, A.I. Sheath Univ. 100(individually Packed), Hand Gloves Latex with rubber arm sleeves number-9 one pair, Disposable A.I. Gloves-100(Made of LDPE material, length 34" and should be made of less than 20 micron film. Lab test report is must for film used), Scissors SS 15 cm straight-2, Thawing Flask with dial thermometer-1 Goblet German, French, Mini French-1 each of 50 straws cap., Dipstick 1Meter Folding, Straw cutter with extra blade, Long Forceps SS 45 cm - 1, Straw Tweezer PVC-1, Thermos Flask wide mouth with steel inner and PVC outer body 1 Ltr. cap-1, E.I. Tray 250x300mm-1, in a Kit bag (Haver Sac) Multi pocket size 18"x12"x6"	Each Kit	765.00	1. M/s B.M. Traders, Aligarh. 2. M/s Rohit Enterprises, New Delhi.
3	A.I. Sheath (Individually packed and sterilized)	Universal split type	Pack of 50 each	24.70	1. M/s B.M. Traders, Aligarh. 2. M/s United Surgical, Lucknow.
4	Ambu Bag (for small animals)	Mini French	Pack of 50 each	22.80	1. M/s Manifest Glass Manufacturers, Aligarh. 2. M/s B.M. Traders, Aligarh.
5	Autoclavable Unbreakable Plastic Syringe Made of P.P. Material, individually packed	Self-inflating bag, an air inlet valve, one face mask attached to ruben and a non-rebreathing valve. 5ml Facility for Luermount Needle, should bear autoclaving at 121 °C for 30 Minutes, without changing its shape	Each	255.00	1. M/s Manifest Glass Manufacturers, Aligarh. 2. M/s United Surgical, Lucknow.
			Each	1.05	1. M/s Rohit Enterprises, New Delhi. 2. M/s B.M. Traders, Aligarh.

✓

6	Autoclave Electric/ (Portable)	Vertical Electric	Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, jointless rubber gasket. Should be fitted with pressure gauge, steam release cock, safety valve and cord and plug suitable for power supply 220-230 volts. Solid Iron stand to support autoclave.	Each	3535.00	1. M/s United Surgical, Lucknow. 2. M/s B.M. Traders, Aligarh. 3. M/s Rohit Enterprises, New Delhi. 4. M/s Indira Fabricators, Lucknow.
7	Automatic Vaccinator		Non-Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, thick bottom for withstanding direct flame heat, jointless rubber gasket. Should be fitted with pressure gauge, steam release cock, safety valve. Solid Iron stand to support autoclave.	Each	3434.00	1. M/s United Surgical, Lucknow. 2. M/s B.M. Traders, Aligarh. 3. M/s Rohit Enterprises, New Delhi.
8	Bacteriological Incubator		Bottle and vial attachment, pressure dose adjustment from 0.5ml to 5ml, Luer Lock Needle Nozzle with spare service kit. Double Walled, inside chamber made of S.S., thermostatically controlled, temperature 37 degree C±3 degree C, inner glass door, built in L shape thermometer, 2 pilot lamps, on/off switch and perforated trays. 450mm x450mm x 450mm	Each	298.00	M/s United Surgical, Lucknow.
9	Bucket SS		12 Ltr. Cap.	Each	215.00	M/s Indira Fabricators, Lucknow.
10	Castrator for large animals 47.5 cm		SPECIFICATION OF CASTRATOR (INDIAN MAKE) The specification of indigenous castrator has been detailed as under- "The shape of the equipment should be that of a bloodless castrator commonly used in veterinary practice. Length should be between 460 to 480mm. The jaw width should be between 73mm to 77mm for the upper (crushing) jaw. The lower (cord stop), jaw should have cord stop on both sides. The gap on either side between the crushing and cord stop jaw should range between 1.5 to 2mm. The cordstop should have a height of 5mm to 8mm from the inner edges. The jaws should be able to open to a maximum of 40mm to 45 mm. The body should be made of solid metal which is non-injurious to the skin on contact and may be of steel, polished bright and passivated. The joints, hingers, screws, nuts and bolts should be made of the same material as that of the body. Handle should be non-slippery but smooth, capable of providing a good grip and made up of an unbreakable material (Plastic, bakelite etc.) The metal should be smooth without pits, cracks, scales, seams or other surface defects. The closing and opening of the jaws and arms should be easy, smooth and jerk free. The jaw edges should be perfectly aligned and meet completely and evenly in closed position. The crushing surface of the jaws should be convex and not flat. The jaws should remain in position till released by the operator and should not develop gap at the crushing edge on release of pressure. There should not be any undue play or stiffness at the joints."	Each	666.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s A.M.V.V. Enterprises, Lucknow. 3. M/s B.M. Traders, Aligarh. 4. M/s Indira Fabricators, Lucknow. 5. M/s United Surgical, Lucknow.

22/11/20

11	Cattle Crush	CATTLE CRUSH Tubular, made of G.I. Pipe with outside diameter 60mm, height of front & back pillar 1980 mm, length & breadth of Cattle Crush be 1830 x 877 mm respectively. All Four Pillars should be provided holes at 75mm distance from bottom and be provided with round bars of 12mm diameter & 300 mm long, side pillars be joined by 2 tubular beams having 60 mm outside diameter, the insided distance between the two beams being 477 mm. The two sides of beams should be supported by Two G.I. pipers of 48 mm diameter. Lower Side beam at 1223 mm height and upper side beam at 1700 mm height. Circular 1 inch painted marking on all four pillars at the height of 450mm from below to indicate ground fill / fixation. Cattle Crush should also be provided with an adjustable gate to open sides. Gate should consist one sliding G.I. pipe on two horizontal pipe of 50mm outer diameter to secure the neck of animal. Two extra G.I. pipe 1.2 mtr. long of 60mm outer diameter should be provided for the back sides. Two metallic loops on each side vertical rear pillar to control Cattle from backside be provided. All the G.I. pipes used should be of ISI Mark 'A' class with visible ISI Mark on every meter of pipe. All the joints should be electrically welded. (Note-Weight of the cattle crush should comply with the norms of the ISI Mark, 'A' Class GI pipe standard of specified diameters with variable maximum/minimum permissible limits).			Each Set	4242.00	1. M/s A.M.V.V. Enterprises, Lucknow. 2. M/s B.M. Traders, Aligarh. 3. M/s Indira Fabricators, Lucknow. 4. M/s A.K. Surgicals, Allahabad.
12	Chuck with (Orthopedic) S.S.	Key	20 cm		Each Set	143.00	1. M/s B.M. Traders, Aligarh. 2. M/s United Surgical, Lucknow.
13	Clipping scissors		S.S.15 cm		Each	44.00	M/s Manifest Glass Manufacturers, Aligarh.
14	Cover Slip Square Free from brittleness		18x18mm square		10 gm pack	6.00	1. M/s Manifest Glass Manufacturers, Aligarh 2. M/s Rohit Enterprises, New Delhi.
15	Crane Mouth Wash Bottle		Plastic, 500 ml		Each	12.50	M/s Manifest Glass Manufacturers, Aligarh
16	Cryo Vials		1.8ml		Each	0.68	M/s Rohit Enterprises, New Delhi.
			4.5ml		Each	1.15	M/s Rohit Enterprises, New Delhi.
17	Disposable A.I. Gloves		Made of LDPE material, length 34" and should be made of less than 20 micron film. Lab test report is must for film used.		Pack of 100	93.00	1. M/s United Surgical, Lucknow. 2. M/s B.M. Traders, Aligarh. 3. M/s Rohit Enterprises, New Delhi.
18	Disposable caps and face mask		Standard		Each	2.40	M/s Rohit Enterprises, New Delhi.
19	Dog Nail Cutter		Standard		Each	24.00	M/s Manifest Glass Manufacturers, Aligarh. M/s Indira Fabricators, Lucknow.
20	Dressing Forceps S.S.		15 cm		Each	8.70	M/s Rohit Enterprises, New Delhi.

Signature

21	Electric Fumigator	Made up of thick SS conforming to ISI standards, capacity 5 Ltrs., approximate weight 11 kg., size-350mm(dia) x400mm (Height)	Each	3535.00	1. M/s United Surgical, Lucknow. 2. M/s Rohit Enterprises, New Delhi.
22	Electric Sterilizer S.S.	30cmx15cmx20cm 1500 Watt.	Each	370.00	1. M/s Indira Fabricators, Lucknow. 2. M/s B.M. Traders, Aligarh.
23	Electronic Balance	Readability 0.01 gm., Weighing capacity 310 gm., repeatability (s) 0.01gm., Linearity 0.02gm., Calibration weight 200gm., Temp. range 10 to 30 °C, WDXH 190x290x62 mm.	Each	1490.00	M/s Manifest Glass Manufacturers, Aligarh.
24	Firing Iron (Conical, Line, Pin) Set	Complete Set of three	Each Set	65.00	M/s Indira Fabricators, Lucknow.
25	Foot Operated waste bin	Made of SS. Size 30cm dia and 45cm height. 20 Ltr. capacity and completely fit size plastic waste bucket inside. With SS Lid and side lifting handle gripper.	Each	521.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s United Surgical, Lucknow. 3. M/s A.K. Surgicals, Allahabad. 4. M/s B.M. Traders, Aligarh.
26	Forceps S.S.	15 cm	Each	7.00	M/s Rohit Enterprises, New Delhi.
27	Formalin Chamber with 100 formalin tablets	Non Corrosive, Standard, 20"x8"x8"	Each	395.00	M/s United Surgical, Lucknow.
28	Gerlach Buhner Vulva suture instrument	SS 18 cm	Each	39.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s B.M. Traders, Aligarh.
29	Hot Air Oven	Universal Memmert Type, Double Walled, Inner Chamber made of S.S. Material, Temperature range 50-300 degree C. Digital Temperature Indicator-cum-Controller. On/ Off Switch and perforated Trays. Fitted with Air Circulating. 600mm x600mm x600 mm.	Each	3637.00	1. M/s United Surgical, Lucknow. 2. M/s B.M. Traders, Aligarh. 3. M/s A.K. Surgicals, Allahabad.
30	Hypodermic Needle	15 x3/4", 16x3/4", 18x3/4", 18x1.5"	Dozen Dozen Dozen	14.75 14.50 11.75	1. M/s United Surgical, Lucknow. 2. M/s Rohit Enterprises, New Delhi. 3. M/s A.K. Surgicals, Allahabad. 1. M/s United Surgical, Lucknow. 2. M/s Rohit Enterprises, New Delhi. 1. M/s Rohit Enterprises, New Delhi. 2. M/s A.K. Surgicals, Allahabad. 3. M/s United Surgical, Lucknow.
31	Instrument Cabinet with	150 cm x 90 cm x 60 cm, 20 Gauge	Each	3350.00	1. M/s United Surgical, Lucknow. 2. M/s Rohit Enterprises, New Delhi. 3. M/s A.K. Surgicals, Allahabad. 1. M/s Indira Fabricators, Lucknow.

			should be provision to hold S.S. tray of size 18x12" for keeping instruments. The table should also be provided S.S. I.V. set & with a facility to fix on any four sides of table.			
			11. Loading capacity upto 150kg. 12. Remote control as option. 13. Provision for Pedal Operation also.			
41	Rubber Arm Sleeves With Latex Gloves	No. 8		Each Pair	29.00	M/s United Surgical, Lucknow.
42	Sample Container Plastic	100 ml (Radiation Sterile)		Each	2.21	M/s Rohit Enterprises, New Delhi.
43	Sheep balling gun	SS 31.5 cm		Each	89.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s United Surgical, Lucknow.
44	Stethoscope Flat Chest Piece	Dual Tube		Each	162.00	1. M/s B.M. Traders, Aligarh. 2. M/s Manifest Glass Manufacturers, Aligarh.
45	Suture Thread	Silk, 10 mt. Reel		Each reel	1.39	M/s Rohit Enterprises, New Delhi.
46	Suturing Needle(Assorted Size)	Traumatic/Atraumatic/Curved/Straight		Each	2-00	M/s Manifest Glass Manufacturers, Aligarh.
47	Swab Holder S.S.	45 cms		Each	15.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s Indira Fabricators, Lucknow.
48	Taylor Percussion Hammer	18cm SS with hard plastic head		Each	24.00	M/s Rohit Enterprises, New Delhi.
49	Teat Instrument Set	Set of-Sharp point probe SS 14cm, McLean Lancet SS 17cm, Pappilome SS 12/18cm, Hudson's teat Dilator- straight handle-1, T-handle-1, Hug tumor extractor SS 13cm, Milking tube SS 10 cm -in a box		Each set	245.00	1. M/s United Surgical, Lucknow. 2. M/s B.M. Traders, Aligarh.
50	Thawing Flask with dial Thermometer	250 ml Cap.		Each	131.00	1. M/s B.M. Traders, Aligarh. 2. M/s Rohit Enterprises, New Delhi.
51	Tooth rasp	Standard		Each	80.00	M/s United Surgical, Lucknow.
52	Urinary Catheters	Nielsen Urinary Catheter for cow- Length-44 cm, dia-5mm-SS		Each	24.00	M/s Rohit Enterprises, New Delhi.
53	Vaccutainer	With vacuume, 10 ml		Pck of 100	620.00	1. M/s Manifest Glass Manufacturers, Aligarh. 2. M/s B.M. Traders, Aligarh.
54	Vaccutainer Adopter	Universal Pattern		Each	2.04	1. M/s Rohit Enterprises, New Delhi. 2. M/s Manifest Glass Manufacturers, Aligarh.
55	Vaccutainer Needle	Double Bewell 22NO.		Pack of 100	300.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s United Surgical, Lucknow.
56	Vaginal Speculum	Large, 35 cm S.S.		Each	295.00	1. M/s B.M. Traders, Aligarh.

2/11/2020

57	Veterinary Suction Pump	Power voltage AC220V±10% 50Hz Negative pressure ≥0.07Mpa(600mmHg) Suction rate ≥15L/min Negative pressure range 0.013-0.07 Mpa(600mmHg) Suction bottle 1000ml Input power 150VA Pump structure Self-lubrication without oil Noise ≤50dB Working type Intermittent loading, continuous operation.	Each	3434.00	2. M/s Rohit Enterprises, New Delhi. 1. M/s Manifest Glass Manufactures, Aligarh. 2. M/s United Surgical, Lucknow.
58	Wash Basin S.S.	On stand 90cm Ht., Tank 5 Ltr. Cap.	Each	490.00	M/s Indira Fabricators, Lucknow.
59	Water Sprinkler	Standard	Each	195.00	M/s Indira Fabricators, Lucknow.
60	Weingart Rumenotomy Set	Weingart Frame-1, Vulsellum Forceps-2, Weingart Tenaculum-6	Each Set	444.00	1. M/s Rohit Enterprises, New Delhi. 2. M/s Manifest Glass Manufactures, Aligarh.
61	X-Ray Unit- Mobile 100mA - alongwith Dressing Room items*	SPECIFICATIONS OF 100mA MOBILE X-RAY MACHINE:- A.E.R.B./ISO certified (Certificate should be compulsorily enclosed):- - The machine should be 100Ma -100KVP full wave rectified x ray machine with counter balanced mobile stand. - It should have full wave rectified x ray generator with stationary anode X Ray tube as per BIS Standards. - The radiography rating should be in the range: 100Ma at 45 to 100KVP 50Ma at 45 to 100 KVP 25 Ma at 45 to 100 KVP The KVP Range should be 45 to 100KVP in steps of 5 KVP. The Solid state electronic timer should have timing range from 0.04 to 8 sec. in 24 steps CONTROL:- - Should have digital display of mAs, KVP and radiographic mA. - Should have independent voltmeter and voltage compensator fine and coarse to compensate voltage. - Should have Tech. selector for selection of Radiographic mA, KVP selector from 45 to 100 and time selector switch for selection of radiographic time. - Should have Ready and x-ray switches, bucky selector switch. - Machine should have on/off with push to on/off type switches. TUBE HEAD:- Tube head should be tiltable at 360 degree with full flexibility for use. - Should be Stationary anode x-ray tube. STAND (CBM) Mobile stand should be on 4-wheel design, for	Each	232500.00	M/s Allengers Medical Systems Ltd. Chandigarh.

2/11/20

		easy mobility and steering. Should have storage capability for cassettes etc. Should have Counter balanced articulated tube carriage allowing smooth movements of the tube head in vertical and horizontal plane. TABLE:Should have motorized Bucky and grid POWER REQUIREMENT: Single phase 230 volts, AC, 50 Hz, maximum allowable line regulation $\pm 10\%$ at line resistance of 0.4 ohms. OTHER REQUIREMENTS: - The company should be ISO-9001: 2008, ISO-13485: 2003 company with CE Certified products. - The unit should be approved by BIS and AERB. - The company should have a local Service center. - The company should have proven track record in Govt. sector. DARK ROOM ACCESSORIES 1. X ray cassettes with ultra screen and Medical X Ray films (50 Sheets box) : Size 12x15 and 10x12 2. safe light Qty- 01 3. SS Film Hanging clips Qty-10 4. SS Hanger -01 5. Half Film Blocker-01 6. SS Master Tank 9.0ltrs-01 7. Lead letters/Numbers-01 set 8. Lead Apron -01 9. Developer and fixer 9.0 ltrs each. Note: Including installation, commissioning, demonstration and manufacturer's standard warranty plus 2 years AMC free of cost including hardware change and software up-gradation (for item no. 61 above).			
X-Ray Unit- Mobile 500mA - alongwith Dressing Room items		SPECIFICATIONS OF 500mA X-RAY MACHINE: 500mA Full Wave Rectified X-Ray machine suitable for General Radiography. A. GENERATOR: - 500mA-125KVP, Full Wave Solid State Silicon Rectified X-Ray Generator for Radiography & as per IS: 7620 Part-I should be provided. - Radiography KV range should be from 35 to 125 KVP or more. - Radiography mA Stations: , 100s, 200s, 300L, 400L, 500L - Solid State Electronic Radiographic Timer should have timing range from 0.01 to 5 Sec. (in 24 steps). B. CONTROL: Control panel should have following features: - Push to On & OFF Switches - Digital Display of active KVP & mAs.	Each	495500.00	M/s Allengers Medical Systems Ltd. Chandigarh.

Amu v

	5. Half Film Blocker-01 6. SS Master Tank 9.0ltrs-01 7. Lead letters/Numbers-01 set 8. Lead Apron-01 9. Developer and fixer 9.0 ltrs each. Note: Including installation, commissioning, demonstration and manufacturer's standard warranty plus 2 years AMC free of cost including hardware change and software up-gradation (for item no. 61 above).		
--	---	--	--

- उपरोक्त दरों पर व्यापार कर/विक्री कर नियमानुसार अतिरिक्त देय है।
- उपरोक्त दरों की वैधता दिनांक-31.03.2015 तक रहेगी।
- आवश्यकतानुसार यदि कोई फर्म रोड परमिट की माँग करती है तो उसे उपलब्ध कराया जायेगा।
- उपरोक्त दरें एफओओआरओ अनुमोदित है अतः पूरे प्रदेश में एफ.ओ.आर.का पूर्णतया पालन करना अनिवार्य है।
- उपरोक्त के अतिरिक्त फर्मों द्वारा कोई शर्त मान्य नहीं होगी क्योंकि निविदा पत्र में दिये गये शर्तों के अधीन ही दरें स्वीकृत की गयी हैं।

2000000

(डा10 रुद प्रताप)
निदेशक।

कार्यालय निदेशक, पशुपालन विभाग, उत्तर प्रदेश, लखनऊ।

पत्रांक 315/कप्रओसे0/उपकरण/निविदा(दर सूची)/2014-15 दिनांक-

06-01-2015

उपरोक्त उपकरणों/सामग्री आदि की अनुमोदित दर सूची निम्नलिखित अधिकारियों को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

- समस्त मुख्य पशु चिकित्सा अधिकारी, उप्रओ।
- समस्त अपर निदेशक ग्रेड-1, मण्डल, पशुपालन विभाग, उप्रओ।
- समस्त गायनाकालोजिस्ट, स्टर्लिटी यूनिट, पशुपालन विभाग, उप्रओ।
- परियोजना निदेशक, भेड प्रजनन प्रक्षेत्र, नौगढ़, चन्दौली।
- परिओनिटो/संयुक्त निदेशक, अतिहिमीकृत वीर्य उत्पादन केन्द्र, बाबुगढ़, गाजियाबाद/निबलेट, बाराबंकी/चकगंजरिया-लखनऊ/मंझारा-खीरी।
- उप निदेशक, प्रक्षेत्र, महानगर, लखनऊ/समस्त क्षेत्र प्रबन्धक, राजकीय पशुधन एवं कृषि प्रक्षेत्र, उप्रओ।
- उप निदेशक, लघु पशु, पशुपालन विभाग, उप्रओ, लखनऊ।
- सम्बन्धित फर्मों को जिनके उपकरणों/सामग्री की दरें अनुमोदित की गई हैं।
- समस्त सम्बन्धित अनुभाग अधिकारी, मुख्यालय।
- संयुक्त निदेशक, रोग नियंत्रण/अपर निदेशक ग्रेड-1, रोग नियंत्रण, (मुख्यालय)
- संयुक्त निदेशक, कुक्कुट, मुख्यालय।
- अपर निदेशक, गौधन विकास, मुख्यालय।
- अपर निदेशक, ग्रेड-1, बीपीओ संस्थान, पशुपालन विभाग, लखनऊ।
- वित्त नियंत्रक मुख्यालय।
- प्रमुख सचिव, पशुधन, उप्रओ शासन, लखनऊ।

2000000

(डा10 रुद प्रताप)
निदेशक।

**Office of the Director, Animal Husbandry, U.P.,
BADSHAH BAGH, LUCKNOW.**

Name & Address of the firms who's Rates for "Veterinary Equipments/ Machineries/Instruments & Glassware etc. for A.I.,
Surgical, Pathological, Laboratory & Hospital use" are approved for the financial year 2014-15

Sl.No.	Name & Address of Firms	Fax No.	Phone No.	email ID
8	M/s A.K. Surgicals, 90A/10/4E, Bhaghambhari Gaddi, Allahabad-211008	0532-2695426	9415217746, 0532-2500560	surgical.ak@gmail.com
6	M/s A.M.V.V. Enterprises, 114/42, Takiya Ghamishah, 43 Aminabad, Lucknow.	0522-4004827	9532997997, 0522-3053092	us.varun@gmail.com
3	M/s Allengers Medical Systems Ltd., SCO-212-213-214 Sectpr 34A, Chandigarh-UT Pin 160 022	0172-2621912	0172-3012280-84 Mob.- 9307345441	raizadaar@allengers.net
9	M/s B.M. Traders, Syam Sadan, Bela Road Chauraha, Vishnupuri, Aligarh- 202001	-	09412273499	bmtraders2003@rediffmail.com
1	M/s Indira Fabricators, SS-104, Moti Jheel Colony, Aishbagh Road, Lucknow.	-	0255-2268771	-
7	M/s Inox India Ltd., 4th Floor, Old Padra Road, Vadodara-390007	0265-233396	0265-3056100	cryoseal.inoxcva.com
2	M/s Manifest Glass Manufacturers, 3/11 Mathura Nagar, Aligarh-202001		09873083813	prateek.litc@gmail.com
4	M/s Pee Vee Enterprises, 2137/M(8), Canal Road, Indralok Colony, Krishna Nagar, Lucknow-226023	-	0522-4025629 , Mob.- 941520996	-
5	M/s Rajchandra Surgicals, 559/4 Brahma Nagar, Alambagh, Lucknow- 226 005.	0522-2473535	0522-2450287, 5533990, 09838580806	-
11	M/s Rohit Enterprises, 18-A/12, Dori Watan, Karol Bagh, New Delhi-110 005 Factory- Plot No. 29/2, Roop Nagar Industrial Area, Loni, Ghaziabad	011-23622400	011-23622400	ketan-bhasin@hotmail.com
10	M/s United Surgical, F1854, Rajajipuram, Lucknow-226017	0522-2411438	9415023966	unitedsurg@gmail.com