

Office of the Director, Animal Husbandry, U.P., BADSHAH BAGH, LUCKNOW.

Approved Rate List of "Veterinary Equipments/ Machineries/ Instruments & Glassware etc. for A.I., Surgical, Pathological, Laboratory & Hospital use" for the financial year 2016-17

Sl. No.	Name of Item	Specification	Unit	Rate	Name of the firm
			Pack	(Rs.)	
1.	A.I. Gun Universal	Al gun universal pattern suitable for French mini/medium/German straws. The gun consists of stainless steel barrel and plunger. Barrel should be attached with adopter such that it should have auto fix/auto release mechanism for handling Al sheaths. Plunger should be made of desired flexibility so that after slight bending it should not loose shape. The plunger should have locking mechanism to avoid free fall from barrel.	Each	58.00	M/s B.M. Traders, Aligarh.
2.	A.I. Kit	Consisting of A.I. Gun Universal-2, A.I. Sheath Univ. 100(individually Packed), Hand Gloves Latex with rubber arm sleeves number-9 one pair, Disposable A.I. Gloves-100(Made of LDPE material , length 34" and should be made of less than 20 micron film. Lab test report is must for film used), Scissors SS 15 cm straight-2, , Thawing Flask with dial thermometer-1 Goblet German, French, Mini French-1 each of 50 straws cap,, Dipstick 1Meter Folding, Straw cutter with extra blade, Long Forceps SS 45 cm -1, Straw Tweezer PVC-1, Thermos Flask wide mouth with steel inner and PVC outer body 1 Ltr. cap.-1, E.I. Tray 250x300mm-1, in a Kit bag (Haver Sac) Multi pocket size 18"x12"x6"	Each Kit	749.00	M/s Rohit Enterprises, Ghaziabad.
3.	A.I. Sheath	Universal split type Individually packed and sterilized)	Pack of 50 each	26.00	M/s Manifest Glass Manufacturers, Aligarh.
4.	Ambu Bag (for small animals)	Self-inflating bag, an air inlet valve, one face mask attached to ruben and a non-rebreathing valve.	Each	284.00	M/s United Surgical, Lucknow.
5.	Apron Cotton	Free size	Each	22.00	M/s Indira Fabricators, Lucknow
	Apron Plastic	Free size	Each	8.00	M/s Indira Fabricators, Lucknow
6.	Autoclavable Unbreakable Reusable Plastic Syringe Made of P.P. Material, individually packed	5ml, Facility for Luermount Needle, should bear autoclaving at 121 °C for 30 Minutes, without changing its shape 10 ml, Facility for Luermount Needle, should bear autoclaving at 121 °C for 30 Minutes, without changing its shape	Each	1.03	M/s United Surgical, Lucknow.
			Each	2.02	M/s Rohit Enterprises, Ghaziabad.

7.	Autoclave Electric/ Non Electric (Portable)	Vertical Electric	Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, jointless rubber gasket. Should be fitted with pressure guage, steam release cock, safety valve and cord and plug suitable for power supply 220-230 volts. Solid Iron stand to support autoclave.	Each	3300.00	M/s Indira Fabricators, Lucknow
			Non-Electric Autoclave (SS) size 450mm height and 300mm dia, made of SS 304 grade, SS lid, thick bottom for withstanding direct flame heat, jointless rubber gasket. Should be fitted with pressure guage, steam release cock, safety valve. Solid Iron stand to support autoclave.	Each	3401.00	M/s Rohit Enterprises, Ghaziabad
8.	Automatic Thawing unit electric		37°C	Each	555.00	M/s United Surgical, Lucknow.
9.	Automatic Vaccinator		Bottle and vial attachment, pressure dose adjustment from 0.5ml to 5ml, Luer Lock Needle Nozzle with spare service kit.	Each	193.00	M/s Manifest Glass Manufacturers, Aligarh.
10.	Bacteriological Incubator		Double Walled, inside chamber made of S.S., thermostatically controlled, temperature 37 degree C±3 degree C, inner glass door, built in L shape thermometer, 2 pilot lamps, on/off switch and perforated trays. 450mm x450mm x 450mm	Each	3636.00	M/s United Surgical, Lucknow.
11.	Bone Pin Cutter		Standard	Each	170.00	M/s Indira Fabricators, Lucknow
12.	Bull Nose Ring Copper		6.5 cm dia, 0.5cm thick	Each	150.00	M/s Indira Fabricators, Lucknow
13.	California Mastitis Test Kit		Complete Kit made of Polypropylene with 4 mixing chambers and full grip handle including reagent, reagent dispenser and test colour standard chart	Each set	124.00	M/s United Surgical, Lucknow.
14.	Castrator for large animals 47.5 cm		SPECIFICATION OF CASTRATOR (INDIAN MAKE) The specification of i castrator has been detailed as under- "The shape of the equipment should be that of a bloodless castrator commonly used in veterinary practice. Length should be between 460 to 480mm. The jaw width should be between 73mm to 77mm for the upper (crushing) jaw. The lower (cord stop), jaw should have cord stop on both sides. The gap on either side between the crushing and cord stop jaw should range between 1.5 to 2mm. The cordstop should have a height of 5mm to 8mm from the inner edges. The jaws should be able to open to a maximum of 40mm to 45 mm. The body should be made of solid metal which is non-injurious to the skin on contact and may be of steel, polished bright and passivated. The joints,	Each	702.00	M/s Rohit Enterprises, Ghaziabad.



		hingers, screws, nuts and bolts should be made of the same material as that of the body. Handle should be non-slippery but smooth, capable of providing a good grip and made up of an unbreakable material (Plastic, bakelite etc.) The metal should be smooth without pits, cracks, scales, seams or other surface defects. The closing and opening of the jaws and arms should be easy, smooth and jerk free. The jaw edges should be perfectly aligned and meet completely and evenly in closed position. The crushing surface of the jaws should be convex and not flat. The jaws should remain in position till released by the operator and should not develop gap at the crushing edge on release of pressure. There should not be any undue play or stiffness at the joints."			
15.	Cattle Crush	<u>CATTLE CRUSH</u> Tubular, made of G.I. Pipe with outside diameter 60mm, height of front & back pillar 1980 mm, length & breadth of Cattle Crush be 1830 x 877 mm respectively. All Four Pillars should be provided holes at 75mm distance from bottom and be provided with round bars of 12mm diameter & 300 mm long, side pillars be joined by 2 tubular beams having 60 mm outside diameter, the insided distance between the two beams being 477 mm. The two sides of beams should be supported by Two G.I. pipers of 48 mm diameter. Lower Side beam at 1223 mm height and upper side beam at 1700 mm height. Circular 1 inch painted marking on all four pillars at the height of 450mm from below to indicate ground fill / fixation. Cattle Crush should also be provided with an adjustable gate to open sides. Gate should consist one sliding G.I. pipe on two horizontal pipe of 60mm outer diameter to secure the neck of animal. Two extra G.I. pipe 1.2 mtr. long of 60mm outer diameter should be provided for the backsides. Two metallic loops on each side vertical rear pillar to control Cattle from backside be provided. All the G.I. pipes used should be of ISI Mark 'A' class with visible ISI Mark on every meter of pipe. All the joints should be electrically welded. (Note-Weight of the cattle crush should comply with the norms of the ISI Mark, 'A' Class GI pipe standard of specified diameters with variable maximum/minimum permissible limits).	Each Set	4130.00	M/s Indira Fabricators, Lucknow
16.	Cheatel Forceps	Standard	Each	52.00	1.M/s United Surgical, Lucknow. 2.M/s Indira Fabricators, Lucknow.



17.	Cold Box WHO/UNICEF specification	Vaccine Storage capacity 20 Ltr., weight fully loaded 43.4 kg. weight empty 17.5 kg. external surface material plastic , internal lining material plastic insulation material polyurathane, insulation thickness 110 mm, external dimension 77x53x54 cm, internal dimension 54x30x31 cm, vaccine storage dimension 48x24x17 cm, lid type and fixing hinged supplied with 52 ice packs.	Each	6401.93	M/s AOV International, NOIDA, U.P.
18.	Cover Slip Square Free from brittleness	18x18mm square	10 gm pack	6.10	M/s Rohit Enterprises, Ghaziabad.
19.	Cryo Box, Polycarbonate with transparent cover, to accommodate 81 cryo vials of 1.8ml/ 4.5 ml	Accommodating 4.5ml cryo vials Accommodating 1.8 ml cryo vials	Each Each	93.00 78.00	M/s Rohit Enterprises, Ghaziabad. M/s Rohit Enterprises, Ghaziabad.
20.	Disposable A.I. Gloves	Made of LDPE material, length 34" and should be made of less than 20 micron film. Lab test report is must for film used.	Pack of 100	95.00	M/s Manifest Glass Manufacturers, Aligarh.
21.	Disposable Apron Medium	Standard	Each	2.50	M/s Indira Fabricators, Lucknow.
	Disposable Apron large	Standard	Each	3.80	M/s Indira Fabricators, Lucknow.
22.	Disposable caps and face mask	Standard	Each	2.10	M/s Indira Fabricators, Lucknow.
23.	Douche Can S.S.	1 Lit. Cap. with 1.5 mtr. Rubber Tube	1 set	72.00	M/s Rohit Enterprises, Ghaziabad.
24.	Dressing Forceps S.S.	15 cm	Each	8.20	M/s Indira Fabricators, Lucknow.
25.	Electric Fumigator	Made up of thick SS conforming to ISI standards, capacity 5 Ltrs., approximate weight 11 kg., size-350mm(dia) x400mm (Height)	Each	3360.00	M/s Indira Fabricators, Lucknow.
26.	Electric Sterilizer S.S.	30cmx15cmx20cm 1500 Watt.	Each	430.00	M/s B.M. Traders, Aligarh.
27.	Enema Pump (Veterinary)	Reedis Standard	Each	886.00	M/s A.M.V.V. Enterprises, Lucknow.
28.	Face Mask	Cotton Standard	Each	1.82	M/s Maifest Glass Manufacturers, Aligarh.
29.	Face Mask	With Hepa filter 3M-N95 standard kit must be disinfected by Gamma irradiation and the irradiation certificate required.	Each	39.00	M/s Rohit Enterprises, Ghaziabad.
30.	Foot Operated waste bin	Made of SS. Size 30cm dia and 45cm height. 20 Ltr. capacity and completely fit size plastic waste bucket inside. With SS Lid and side lifting handle gripper.	Each	434.00	M/S United Surgical, Lucknow.



31.	Formalin Chamber with 100 formalin tablets	Non Corrosive, Standard, 20"x 8"x 8"	Each	395.00	M/s Indira Fabricators, Lucknow.
32.	Glass Slides	Free from brittleness 76x26x1.45mm(±1)	Pack of 50	28.00	M/s Microcil Manufacturers, Thapi, Gujarat.
33.	Haemocytometer (Neubauer)	Complete set, Double ruling, 0.1 mm depth.	Each	370.00	M/s Manifest Glass Manufacturers, Aligarh.
34.	Hog Catcher	Standard	Each Set	210.00	M/s Indira Fabricators, Lucknow.
35.	Hot Air Oven	Universal Memmert Type, Double Walled, Inner Chamber made of S.S. Material, Temperature range 50-300 degree C. Digital Temperature Indicator-cum-Controller. On/ Off Switch and perforated Trays. Fitted with Air Circulating. 600mm x600mm x600 mm.	Each	3954.00	M/s United Surgical, Lucknow.
36.	Hypodermic Needle	15 x3/4", "	Dozen	11.98	M/s United Surgical, Lucknow
		16x3/4", "	Dozen	11.96	M/s United Surgical, Lucknow
		18x3/4", "	Dozen	11.44	M/s United Surgical, Lucknow
		18x1.5	Dozen	13.04	M/s United Surgical
37.	Inoculations Needle	No.23,	Dozen	13.60	M/s United Surgical, Lucknow.
		No.24	Dozen	13.66	M/s Manifest Glass Manufacturers, Aligarh.
38.	Instrument Cabinet with 3 Glass Self	150 cm x 90 cm x 60 cm, 20 Gauge	Each	3230.00	M/s Indira Fabricators, Lucknow.
39.	Instrument Tray S.S. with Lid.	350 x 400 mm	Each	202.00	M/s Indira Fabricators, Lucknow.
40.	Insulated Sample Carrier	wide mouth vacuum flask made of S.S. inside and outside with carrying Strap. Capacity 500ml	Each	102.00	M/s Rohit Enterprises, Ghaziabad.
41.	Laryngoscope with 4 blades (For small animals laryngoscopy/ standard)	Full stainless body with blade and hood attached blade, 100mm length, 130mm length and 155 mm length of fiber-lite attached, cool high power light, fibre-lite lamp key, fibre lite lamp.	Each	415.00	M/s Rohit Enterprises, Ghaziabad.
42.	Mouth Gag for Cattle	Standard	Each	85.00	M/s Indira Fabricators, Lucknow.
43.	Needle Holder	S.S. 15 cm	Each Set	40.00	M/s Indira Fabricators, Lucknow.
44.	Non Electric Sterilizer	510mmx200mmx150mm. SS	Each	564.00	1. M/s United Surgical, Lucknow. 2, M/s B.M. Traders, Aligarh.

45.	Operation Table for Small Animals (Hydraulic)	1- Constructed of S.S. mounted with coir mattress, operated by hydraulic pressure. 2- Which can be raised & lowered. 3- Must have a central drainage & V cut. 4- With leather straps for restraining animals. 5- Measurement- 60" x 30" 6- Table Top- S.S. / 6 G. 7- Should be straight built & Auto Floor locking device. 8- Provision for upward & downward movements of the table top along with system. 9- Telendelenburg & Reverse Telendelenburg position. 10- Four groovers towards the drainage hole of minimum 2.5 cms. having outlet pipe bottom. 3 nos. on length wise and 2 nos. on breath wise, thick S.S. rings of 2 cms dia are to be provided on the lower frame of the table top in such a manner that they should be visible & should not hamper with working of surgeon.. There should be provision to hold S.S. tray of size 18x12" for keeping instruments. The table should also be provided S.S. I.V. set & with a facility to fix on any four sides of table. 11- Loading capacity upto 150kg. 12- Without Remote control as option. 13- Provision for Pedal Operation also. Without Remote control	Each without Remote	51900.00	M/s Pee Vee Enterprises, Lucknow
46.	Otoscope and Ophthalmoscope set	Otoscope and Ophthalmoscope set of good quality and for veterinary use. It should be batteries operated and easy to handle, otoscope head with 4x magnification, 3 specula of size 80mmx6mm, 58mmx5mm, 80mmx4mm with one spare bulb, one ophthalmoscope head.	Each set	794.00	M/s United Surgical, Lucknow.
47.	Post Mortem Kit For Poultry	<u>POULTRY POST MORTEM KIT</u> Scissors Mayos SS, 20cm-2, Scissors Mayos SS, 15cm-2, long Forceps SS 20cm-2, Magnifying Glass, 6cm Dia-2, Bone Cutter SS, 20cm-1, B.P. Handle SS, No. 3 & 4 Standard-2, B.P. Blade SS each-24.	Each	302.00	M/s Manifest Hari Biocon, Aligarh.

48.	PPE kit for Direct handler Dangri: Hand gloves Shoe cover Face Mask: Disposable protective glasses -- <i>Note: Kit must be disinfected by Gamma Irradiation & the irradiation certificate required.</i>	Dangri: 1 Disposable free size. Full sleeves, made up of non woven fabric (spun bonded, poly propylene material not less than 90 GSM) cuff with elastics zipper infront hood attached covering sides of face and neck Hand gloves: one pair Disposable, ISI mark, size 10 no. Shoe cover One Pair disposable, made up of polyester woven fabric with protective rubber coating preferably tetoron with thick padded foot base and can be used under field condition. Face Mask: 1 with Hepa filter 3M-N95 standard Disposable 1 protective glasses-- Disposable with clear glasses, zero power eye fitting and elastic band holder.	Each	380.00	M/s Manifest Glass Manufacturers, Aligarh.
49.	Rubber Arm Sleeves With Latex Gloves	No. 9	Each Pair	28.00	M/s Manifest Glass Manufacturers, Aligarh.
50.	Sample Container Plastic	100 ml (Radiation Sterile)	Each	2.64	M/s United Surgical, Lucknow.
51.	Shadow less Lamps	Mobile Shadlless lamp with six reflector, pure white like natural daly light, bright and real cool light, long life LED light for more than 50,000 hours, User selected intensity varied from 0-100%, User adjustable wide focus and angle range, Microprocessor control with digital display, sterilizable handle, intensity-100000 Lux.	Each	82000.00	M/s Manifesto Hari Biocon, Aligarh.
52.	Stethoscope Flat Chest Piece	Dual Tube	Each	121.00	M/s United Surgical, Lucknow.
53.	Suture Thread	Silk/Nylon, 10 mt. Reel	Each reel	1.39	M/s Rohit Enterprises, Ghaziabad.
54.	Suturing Needle(Assorted Size)	Traumatic/Atraumatic/Curved/Straight	Each	1.80	M/s Rohit Enterprises, Ghaziabad.
55.	Tissue Forceps	10" SS	Each	81.00	M/s Manifest Glass Manufacturers, Aligarh.
56.	Tooth Cutter For large Animals	SS	Each	265.00	M/s Indira Fabricators, Lucknow.
57.	Tooth rasp	Standard	Each	86.00	M/s United Surgical, Lucknow.
58.	Vacutainer	With vacume, 10 ml	Pack of 100	570.00	M/s Rohit Enterprises, Ghaziabad.
59.	Vacutainer Adopter	Universal Pattern	Each	2.04	M/s Rohit Enterprises, Ghaziabad.
60.	Vacutainer Needle	Double Bewell 22NO.	Pack of 100	270.00	M/s Rohit Enterprises, Ghaziabad.

8

61. Veterinary Suction Pump	Power voltage AC220V+10% 50Hz Negative pressure >0.07Mpa(600mmHg) Suction rate >15L/min Negative pressure range 0.013-0.07 Mpa(600mmHg) Suction bottle 1000ml Input power 150VA Pump structure Self-lubrication without oil Noise <50dB Working type Intermittent loading, continuous operation.	Each	3131.00	M/s Rohit Enterprises, Ghaziabad.
62. Wash Bottle Plastic 500 ml Swan neck	Standard	Each	20.00	M/s United Surgical, Lucknow.

1. उपरोक्त दरों पर व्यापार कर/विक्री कर नियमानुसार अतिरिक्त देय है।
2. उपरोक्त दरों की वैधता दिनांक-31.03.2017 तक रहेगी।
3. आवश्यकतानुसार यदि कोई फर्म रोड परमिट की मांग करती है तो उसे उपलब्ध कराया जायेगा।
4. उपरोक्त दरें एफ0ओ0आर0 अनुमोदित है अतः पूरे प्रदेश में एफ.ओ.आर.का पूर्णतया पालन करना अनिवार्य है।
5. उपरोक्त के अतिरिक्त फर्मों द्वारा कोई शर्त मान्य नहीं होगी क्योंकि निविदा पत्र में दिये गये शर्तों के अधीन ही दरें स्वीकृत की गयी है।

(डा0ए0एन0सिंह)
निदेशक, रोग नियन्त्रण एवं प्रक्षेत्र

कार्यालय निदेशक, पशुपालन विभाग, उत्तर प्रदेश, लखनऊ।

पत्रांक 426 /क0प्र0से0/उपकरण/निविदा(दर सूची)/2016-17

दिनांक-14.9.16

उपरोक्त उपकरणों/सामग्री आदि की अनुमोदित दर सूची निम्नलिखित अधिकारियों को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. समस्त मुख्य पशु चिकित्सा अधिकारी, उ0प्र0।
2. समस्त अपर निदेशक ग्रेड-2, मण्डल, पशुपालन विभाग, मंडल, उ0प्र0।
3. समस्त गायनाकालोजिस्ट, स्टर्लिटी यूनिट, पशुपालन विभाग, उ0प्र0।
4. परियोजना निदेशक, भेड़ प्रजनन प्रक्षेत्र, नौगढ़, चन्दौली।
5. परि0निदे0/संयुक्त निदेशक, अतिहिमीकृत वीर्य उत्पादन केन्द्र, बाबूगढ़, गाजियाबाद/निबलेट, बाराबंकी/रहमानखेड़ा-लखनऊ/मंझरा-खीरी।
6. उप निदेशक, प्रक्षेत्र, महानगर, लखनऊ/समस्त क्षेत्र प्रबन्धक, राजकीय पशुधन एवं कृषि प्रक्षेत्र, उ0प्र0।
7. उप निदेशक, लघु पशु, पशुपालन विभाग, उ0प्र0, लखनऊ।
8. सम्बन्धित फर्मों को जिनके उपकरणों/सामग्री की दरें अनुमोदित की गई है।
9. समस्त सम्बन्धित अनुभाग अधिकारी, मुख्यालय।
10. संयुक्त निदेशक, रोग नियंत्रण, मुख्यालय।
11. संयुक्त निदेशक, कुक्कुट, मुख्यालय।
12. अपर निदेशक, गोधन विकास, मुख्यालय।
13. अपर निदेशक, बी0पी0 संस्थान, पशुपालन विभाग, लखनऊ।
14. वित्त नियंत्रक मुख्यालय।
15. प्रमुख सचिव, पशुधन, उत्तर प्रदेश शासन, लखनऊ।

(डा0 ए0एन0सिंह)
निदेशक, रोग नियन्त्रण एवं प्रक्षेत्र

Office of the Director, Animal Husbandry, U.P., BADSHAH BAGH, LUCKNOW.

Name and Address of the firms whose rates for "Veterinary Equipments/ Machineries/ Instruments & Glassware etc. for A.I., Surgical, Pathological, Laboratory & Hospital use" have been approved for the financial year 2016-17

Sl. No.	Name of Addresses of The Firms	Ph.Nos./Fax Nos.	E-mails
1	M/s AMVV Enterprises , 114/42, Takiya Ghamishah 43, Aminabad, Lko.	0522-4004827	us.varun@gmail.com
2	M/s AOV International, C-22/25, Sect- 57, Noida- 201 301	120-4292921	aov@airtelmail.in
3	M/s B.M. Traders , Shyam Sadan Bala Marg Chauraha, Vishnupuri, Aligarh	09412273499	bmtraders2003@rediffmail.com
4	M/s Indira Fabricators, SS-104 Moti Jheel Colony Aishbagh Road, Lko-226004	2268771	
5	M/s Manifesto Hari Biocon, F-3 Shree Estate Complex, Ramghat Road, Aligarh-202001	7351655552	
6	M/s Manifest Glass Manufacturers, 3/11, Mathura Nagar (near railway station), Aligarh-202001	9837083813	manifestglassmanufacturers@gmail.com
7	M/s Microcil Manufacturers, Surti Bazar,, Vyara, Tapi, Gujarat-394650	02626-224216	blueribbon.mm@gmail.com
8	M/s Pee Vee enterprises, 2137M(8), Canal Road, Indralok Colony, Krishna Nagar, Lko 226023	522-4025629	peevee132@gmail.com
9	M/s Rohit Enterprises, 18A/12, Dori Walan, Karol Bagh, New Delhi- 100 005	011-23622400	ketan_bhasin17@hotmail.com
10	M/s United Surgical, F- 1854, Rajaji Puram, Lucknow	05522-2411438	unitedsurg@gmail.com